

PTO-1449  <b>Information Disclosure Citation in an Application</b>		Application No. 10/627,313 Docket Number A-03-4		Applicant(s) Philip E. Eggers et al. <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">Group Art Unit 3763</td> <td style="width: 67%;">Filing Date July 24, 2003</td> </tr> </table>				Group Art Unit 3763	Filing Date July 24, 2003
Group Art Unit 3763	Filing Date July 24, 2003								
<b>U.S. PATENT DOCUMENTS</b>									
		<b>DOCUMENT NO.</b>	<b>DATE</b>	<b>NAME</b>	<b>CLASS</b>	<b>SUBCLASS</b>	<b>FILING DATE</b>		
	A.	6,110,169	8/29/2000	Mueller et al.	606	48	8/7/1998		
	B.	6,152,923	11/28/2000	Ryan	606	51	4/28/1999		
	C.	6,746,447	6/8/2004	Davison et al.	606	41	4/17/2001		
	D.	7,318,823	1/15/08	Sharps et al.	606	032	07/03/03		
	E.	7,331,956	2/19/08	Hovda et al.	606	32	8/2/06		
	F.	RE40,156	3/18/08	Sharps et al.	606	32	10/9/03		
	G.	7,357,798	4/15/08	Sharps et al.	606	32	5/13/03		
	H.	7,387,625	6/17/08	Hovda et al.	606	32	3/12/04		
	I.	7,419,488	9/2/08	Ciarrocca et al.	606	41	1/3/05		
	J.	7,429,260	9/30/08	Underwood et al.	606	32	12/19/06		
	K.	7,429,262	9/30/08	Woloszko et al.	606	46	2/28/01		
	L.	7,435,247	10/14/08	Woloszko et al.	604	045	06/27/02		
<b>FOREIGN PATENT DOCUMENTS</b>									
		<b>DOCUMENT NO.</b>	<b>DATE</b>	<b>COUNTRY</b>	<b>CLASS</b>	<b>SUBCLASS</b>	<b>TRANSLATION</b>		
							YES NO		
	M.	2408936	6/15/2005	GB	A61B	18/14	X		
	N.	99/44506	9/10/1999	WO	A61B	10/00	X		
<b>NON-PATENT DOCUMENTS</b>									
		<b>DOCUMENT (Including Author, Title, Source, and Pertinent Pages)</b>					<b>DATE</b>		
	O.	BiLAP IFU 910033-002 Rev A for BiLAP Model 3527, L-Hook; BiLAP Model 3525, J-Hook; BiLAP Model 3529, High Angle, 2 pgs					11/30/1993		
	P.	BiLAP IFU 910026-001 Rev A for BiLAP Model 3525, J-Hook, 4 pgs					5/20/1991		
	Q.	BiLAP Generator Settings					June 1991		
	R.	Tucker et al. "The interaction between electrosurgical generators, endoscopic electrodes, and tissue," Gastrointestinal Endoscopy, vol. 38, No.2, pp.118-122					1992		
	S.	UK Search Report for GB0805061.9 (Atty docket no. A-24GB) 1 pg					7/15/2008		
EXAMINER					DATE CONSIDERED				
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.									